

Available online at www.sciencedirect.com

Resuscitation Plus

journal homepage: www.journals.elsevier.com/resuscitation-plusEUROPEAN
RESUSCITATION
COUNCIL

Corrigendum

Corrigendum to “Higher resuscitation guideline adherence in paramedics with use of real-time ventilation feedback during simulated out-of-hospital cardiac arrest: A randomised controlled trial” [Resuscitation Plus 5 (2021) 100082]



Rasmus Meyer Lyngby^{a,b,*}, Lyra Clark^c, Julie Samsoe Kjoelbye^a, Roselil Maria Oelrich^a, Annemarie Silver^c, Helle Collatz Christensen^a, Charlotte Barfod^a, Freddy Lippert^a, Dimitra Nikolettou^b, Tom Quinn^b, Fredrik Folke^{a,d}

^a Copenhagen Emergency Medical Services, Copenhagen, Denmark

^b Kingston University and St. Georges, University of London, London, United Kingdom

^c ZOLL Medical Corporation, Chelmsford, MA, USA

^d Herlev Gentofte University Hospital, Copenhagen, Denmark

The authors regret the percentage reporting the primary outcome of the intervention group was missing in the abstract. The sentence in the results section of the abstract should have read: “The intervention group performed ventilations in adherence with ventilation guideline recommendations for 75.3% (Interquartile range (IQR) 66.2% –82.9%) of delivered ventilations, compared to 22.1% (IQR 0% _44.0%) provided by the control group.

The authors would like to apologise for any inconvenience caused.

<http://dx.doi.org/10.1016/j.resplu.2021.100106>

© 2021 The Author(s). Published by Elsevier B.V. All rights reserved.

DOI of original article: <http://dx.doi.org/10.1016/j.resplu.2021.100082>

* Corresponding author at: Telegrafvej 5A, 2750, Ballerup, Denmark.

E-mail address: rasmus.meyer.lyngby@regionh.dk (R.M. Lyngby).

<http://dx.doi.org/10.1016/j.resplu.2021.100106>